


# **RAILEX** Corporation

**ELECTRIC GARMENT STORAGE AND RETRIEVAL CONVEYORS**  
*for Clothing, Garments and Uniforms*




The Systems 722-922 is an electric rack activated by remote controls, either hand or foot, or by a Railex "Robot-Matic" Selector. The position corresponding to the attendant within seconds.

A Railex has many advantages, First is speed. No longer do attendants have to run up and down aisles carrying garments and looking for numbers. One just presses a number and in a few seconds the garments are at the attendants position. Space is another factor. By actual measurements 33% of existing space is saved and becomes available for other purposes. Aisle space is eliminated.

# ELECTRIC GARMENT STORAGE & RETRIEVAL CONVEYORS

## STANDARD FEATURES



Steel chrome plated trolleys.

Steel chrome plated links.

Quiet, noiseless, fast operation. Built in overload protection. Electrical and mechanical interlock Pilot Light. Completely prewired, ready for supply connection.

Chainless drive.

Full frame suspension completely encircles rail for rigidity and safety. Sealed bearings and drive do not require further lubrication.

## STANDARD EQUIPMENT

**Standard Finishes:** Chrome plated hanger bracket link & trolley, Frame-Black.

**Electrical:** 1/4-3/4 hp.; 115 Volt; 1 Phase.

**Controls:** B-Directional; 1 furnished, hand or foot, includes connecting cables.

**Pilot Light:** To indicate electrical power.

**Supports:** Floor stands & uprights are included for all models except normally ceiling hung sections of Systems 771 & 781.


**Numbering:** Consecutive, last 2 digits, alphabetical, or blank. Specify.

**Approvals:** Underwriters Laboratories (UL) No. E31853. Canadian Standards Association (CSA) No. 18571



Flared large area base provides sturdy support, good appearance, easy floor maintenance.

## SYSTEM 722




*Single plane, numbered positions.*

## SYSTEM 724/725



System 724, 4 orders per link. System 725, 5 orders per link. Order assembly with combiner plates and invoice clips.

## SYSTEM 730



Single plane, compressible rail without slots. Garments hang on continuous rail permitting consolidation of hung items.

## SYSTEM 922



Combined hangered and folded or packaged goods. Single plane, numbered positions. Bin size: Width 12", Height 24", Depth 15". Two shelves each bin adjustable at 7" or 14". Other bin sizes to order.

15". Two shelves each bin adjustable at 7" or 14". Other bin sizes to order.

## STANDARD CONTROLS

Bi-directional. May be mounted from conveyor frame or remotely. NEC CL2 low voltage, includes interconnecting cable and mounting brackets.

*Specify type and mounting.*

**HAND CONTROL**



**FOOT CONTROL**

## OPTIONAL CONTROLS

Robot-Matic Selectors: A remote positioning servo-system that permits the attendant to select the desired position on the conveyor. It will automatically direct the conveyor to travel in the shortest direction. Number selected is always visible. 1-9999. Operation is instantaneous.



## SYSTEM 742\*

ARRANGEMENT NUMBER	GARMENT LENGTH		DIMENSION		OVERALL HEIGHT
	UPPER	LOWER	A	B	C
1	SHORT	SHORT	34"	37"	7'-2"
2	SHORT	INTER	34"	45"	7'-10"
3	SHORT	LONG	34"	60"	9'-1"
5	INTER	INTER	42"	45"	8'-6"
5DCL	INTER	INTER	40.5	40.5	8'-2"
6	INTER	LONG	42"	60"	9'-9"
6DCL	INTER	LONG	40.5	60"	9'-7.5"

\* Other Arrangements Available

## SYSTEM 771/781



System 771-End Loading  
System 781-Side Loading

- ◆ Multi-plane, up and down, numbered positions.
- ◆ 45° incline standard. 30° optional

## STANDARD EQUIPMENT

- ◆ Chrome Plated Links & Trolleys
- ◆ Lubrication Free Rollers
- ◆ Hand Control, E-Stop & Mounting Arm
- ◆ Floor Stand & Uprights
- ◆ Wired Ready for Electrical Supply Connection.
- ◆ U.L. Listed & Labeled. E31853

**RAILEX** Corp.

89-02 Atlantic Avenue, Queens, NY 11416

Tel: (718) 845-5454 ~ Fax: (718) 738-1020

WWW.RAILEXCORP.COM

